App Points How MAS Consumes Them

roietech^m


MAXIMO[®] CLOUD SOLUTIONS

Phil Runion Technical Product Manager

prunion@projetech.com



Projetech's Maximo and MAS Experience



Agenda

- SLS Server Architecture
- Configure User in MAS
- Understand Usage



SLS Server Architecture

Suite License Server, the one server to rule them all.



Shared Pool of AppPoints

Concurrent Application Users



Check in/out AppPoints on a regular occurrence as users' login/out of the Suite.

Always rotating the amount of AppPoints in the pool.

Installs




These AppPoints are required for each MAS instance and are "reserved" on install of application.

Authorized Application Users



These AppPoints are "reserved" to ensure Admins and Authorized users always have access to the application suite.





Configure User in MAS

If you build it, they will log in.

MAS AppPoint License Model

USER TYPES	Self Service	Limited		Base	Premium
Administration Users (<i>Authorized</i>)	N/A	N/A	10	AppPoints	15 AppPoints
Application Users (Concurrent)	0 AppPoints	5 AppPoin	ts 10	AppPoints	15 AppPoints
Application Users (Authorized)	0 AppPoints	2 AppPoin	ts 3	AppPoints	5 AppPoints
Applications	 Self Service Applications Service Requests Desktop Requisitions Requests (Oil & Gas) Create/Review Incidents (HSE) Vehicle Requests (Transportation) Graphical Appt Book (Scheduler) Bill review (Service Provide) 	Manage 3 Modules: • Manage (Linear/Calibration/ • Manage Industry So • Manage Add-ons • IT • Maximo Mobile • 3rd Party Mobile Monitor Assist	/Spatial) Includes: /Spatial) Linear olutions Calibra	(requires install)	Manage Industry Solutions • Oil & Gas, Aviation, Transportation, Utilities, Nuclear, Civil Infrastructure Add-ons • Asset Configuration Manager, Service Provider, Health Safety & Environment Manager Predict Visual Inspection (requires install)
Install AppPoints (Production Only)	SAP/Oracle/Workday Connectors (80)	Civil Infrastructure (50)	Visual Inspection (45) Edge (1)	Spatial (20)	Optimizer (60) / (220)

Cron Tas	k											
Cron Task												
MASUSER	SYNC		User sync cron task from manag	e to MAS		⊒						
Class												
psdi.serve	r.MASUserSyncCronTask											
Access Level												
FULL	Q											
Cron Tasl	(Instances (1 - 1 of 1)									⊕ ⊽	V	1
	Cron Task Instance Name	Schedule			Run as User				Active?	Keep History?	Max Nu	mber of Hist
~	MASUSERSYNC	1h, *, 0,*,	*****	ſō	MAXADMIN			Q				
1 - 1 of 1												_
Paramet	ers History ~											
Cron Tasl	c Parameters (1 - 3 of 3)					×	Υ.	± ,"				
	Parameter	Value			Description							
~	ISSUER				The issuer can be local,	, ldap, c	or saml. D	D€				
~	OWNER				The owner of the user i	in Maxir	no Applio	CI				
~	RESENDUSERSSEL				Specifies a WHERE clau	use that	selects	а				

IBM Maximo Application Suite

ŝ

Suite administration

Overview

Catalog

Applications

Workspace

Configurations

License consumption

Users

API keys



Phil Runion

Last modified 05 September 2024 by Manage Application

Active Synchronized

Identity

User ID phil.runion	Username prunion@projete	ech.com	Primary em prunion@p	ail projetech.com
Owner External (i)	Authentication typ SAML	e	Created by	
Created on 04 September 2024 09:09				
Account status				~
User details				~
Contact information				~
Locale and time zone				~
Entitlement	Application entitlement	Administration entitle	mont	Cost
Access Type	Application entitlement		ment	Cost
Authorized	Premium	Premium		15 Reserved AppPoints

2. Authentication

Select the authentications type and provide login details for the user.

Local	SAML
Username	SAML ID
prunion@projetech.com	prunion@projetech.com
Send password by email (i)	
Password Autogenerated Custom 	

3. Entitlement

Select entitlements to set the application and administration access levels that the user can be granted.

Access Type

Concurrent (i)

Authorized (i)

Application entitlement

Premium (5 AppPoints)

Administration entitlement

Premium (15 reserved AppPoints) \sim \sim Compare application entitlements Compare administration entitlements

3. Entitlement

Select entitlements to set the application and administration access levels that the user can be granted.

Access Type

- Concurrent (i)
- Authorized (i)

Application entitlement

Premium (5 AppPoints)	^	Premium (15 reserved AppPoints) ~
No entitlement	5	Compare administration entitlements
Self service (0 AppPoints)		
Limited (2 Reserved AppPoints)		
Base (3 Reserved AppPoints)		ed. After the user is created, you can define the specific permissions
Premium (5 Reserved AppPoints)		
System configuration Viser management	nt	
 API key management 		

Administration entitlement

Application	Required entitlement	Access	
Manage	Access dependent (i)	Set in Manage	~

■	IBM Maximo Application Suite Man	Take a tour	₽	\$\$ (?) (\$)
ර ඛ	Users		Q :	$\mathbb{B} \hspace{0.1in} \boldsymbol{\varsigma} \hspace{0.1in} \leftarrow \hspace{0.1in} \boldsymbol{\varkappa}$
S Å	← List View <	User Groups Security Profile ~		
ыî	Q Find navigation item	User	Status	* Туре
ୈ	Available Queries 🗸 🗸	PHIL.RUNION	ACTIVE	PROJETECH Q
& 53	Common Actions	Login Information		× ۲
5	 Save User Clear Changes 	User Name	Is Consultant?	
En l	Create Report	prunion@projetech.com	Set Password	
⊗	More Actions	Onsultant users can log in to one or more tenants to provide	e consultancy services such as databas	se administration, configuration,
¢.	View History	Personal		م ^ر
ē	Reset E-Signature Key	*Person	Display Name	
ጵ	Set Security Profile Authorize Group Reassignment	PHIL.RUNION >	Phil Runion	
iii	Manage Sessions	Status	Primary Phone	
\bigtriangledown	Manade Blocked IP Addresses	ACTIVE Q	513-578-6057	

Understand Usage

Do you need a bigger boat?



IBM Maximo Application Suite

ŝ

Suite administration

Overview

Catalog

Applications

Workspace

Configurations


License consumption

App Points

Users

API keys

Last month (August 2024)



SLS Mongo Database

_id: "out_2024-09-05T11:26:31.367859172Z"
 metadata: Object
 timestamp: 2024-09-05T11:26:31.367+00:00
 type: "out"

_id: "out_2024-09-05T11:30:06.956084382Z"

* metadata : Object tokenCost : "15" productVersion : "1.0" quantity : "1" productId : "MAS-Admin-Premium" tokenId : "AppPoints" totalCost : "15" licenseeId : "prunion@projetech.com" timestamp : 2024-09-05T11:30:06.956+00:00 type : "out"

_id: "in_2024-09-05T11:30:07.730794694Z"
 metadata: Object
 timestamp: 2024-09-05T11:30:07.730+00:00
 type: "in"

Q SLS1038

sls1038_sls_licensing

auditevents

licenses

products

registrations

reports

samples

tokenpools

SIS1038_SIS_licensing.licenses

STORAGE SIZE: 36KB LOGICAL DATA SIZE: 495B TOTAL DOCUMENTS: 1 IND Find Indexes Schema Anti-Patterns 🕕 Aggrega Generate queries from natural language in Compass Filter 🖻 Type a query: { field: 'value' } QUERY RESULTS: 1-1 OF 1 _id: Binary.createFromBase64('Gj41d49xPrv2Bfl5F4rvuw==', 3) attributes : Object claimIds : Array (1) 0: "admin" claims: Array (2) • 0: Object id : "admin a311586-acc7d77b" claimId : "admin" claimTime: 2024-09-05T11:30:06.716+00:00 owner : "a311586-acc7d77b" 1: Object _id: "admin_a311587-02e88dc0" claimId : "admin" claimTime: 2024-09-05T12:00:05.133+00:00 owner : "a311587-02e88dc0" concurrent : false licenseeId: "prunion@projetech.com" owners: Array (2) 0: "a311587-02e88dc0" 1: "a311586-acc7d77b" productId : "MAS-Admin-Premium" productVersion: "1.0" quantity: 1

reserved : true

```
select * from maslicusage
where userid='MAXADMIN'
order by processtype, startdate
```

138 % 👻

Ξ	lesults 📑 Me	ssages						
	userid	maxprodid	licensetype	isadmin	startdate	enddate	processtype	m
1	MAXADMIN	MANAGE	MAS-Base	0	2024-02-20 00:00:00.000	2024-06-05 00:00:00.000	LICCRON	1
2	MAXADMIN	MANAGE	MAS-Premium	0	2024-06-05 00:00:00.000	NULL	LICCRON	5
3	MAXADMIN	MANAGE	MAS-Base	0	2024-02-21 00:00:00.000	2024-06-05 00:00:00.000	USERSYNC	4
4	MAXADMIN	MANAGE	MAS-Premium	0	2024-06-05 00:00:00.000	NULL	USERSYNC	5



```
■SELECT userid, status
     ,(SELECT maslicusage.licensetype
         FROM maslicusage
         WHERE masificusage.userid=maxuser.userid
         AND maslicusage.processtype = 'LICCRON'
         AND maslicusage.enddate IS null) AS "LICCRON (Manage)"
     ,(SELECT maslicusage.licensetype
         FROM maslicusage
         WHERE maslicusage.userid=maxuser.userid
         AND maslicusage.processtype = 'USERSYNC'
         AND maslicusage.enddate IS null) AS "USERSYNC (MAS)"
 FROM MAXUSER
 WHERE userid in ('MAXADMIN')
```

Results	eli Me	essages		
userid		status	LICCRON (Manage)	USERSYNC (MAS)
MAXA	DMIN		MAS-Premium	MAS-Premium

7.6.1 Support Timeline Reminder

